

# Subtraktion ganzer Zahlen

Code Nr. 1

Nr. 1

Name:  
Klasse:

Datum:

1.) ●●	$810 - (+3\ 000) = \underline{\hspace{2cm}}$	$-970 - (+600) = \underline{\hspace{2cm}}$	A 1	-2190 -1570
2.) ●●	$2\ 000 - (-2\ 400) = \underline{\hspace{2cm}}$	$3\ 100 - (-2\ 000) = \underline{\hspace{2cm}}$	A 2	4400 5100
3.) ●●	$(+1\ 300) - 2\ 000 = \underline{\hspace{2cm}}$	$4\ 400 - 650 = \underline{\hspace{2cm}}$	A 3	-700 3750
4.) ●●	$(+3\ 000) - (-1\ 000) = \underline{\hspace{2cm}}$	$-4\ 900 - (-6\ 000) = \underline{\hspace{2cm}}$	A 4	4000 1100
5.) ●●	$3\ 100 - 1\ 300 = \underline{\hspace{2cm}}$	$2\ 000 - (+200) = \underline{\hspace{2cm}}$	A 5	1800 1800
6.) ●●	$(-3\ 000) - \underline{\hspace{2cm}} = -2972$	$300 - \underline{\hspace{2cm}} = 3100$	A 6	(-28) (-2 800)
7.) ●●	$-400 - \underline{\hspace{2cm}} = -5400$	$3\ 700 - 1\ 300 = \underline{\hspace{2cm}}$	A 7	5 000 2400
8.) ●●	$6\ 200 - \underline{\hspace{2cm}} = 6540$	$-210 - (-4\ 500) = \underline{\hspace{2cm}}$	A 8	(-340) 4290
9.) ●●	$4\ 000 - (-1\ 800) = \underline{\hspace{2cm}}$	$(-3\ 000) - (-7\ 000) = \underline{\hspace{2cm}}$	A 9	5800 4000
10.) ●●	$-3\ 000 - (-10\ 000) = \underline{\hspace{2cm}}$	$(+4\ 200) - (+640) = \underline{\hspace{2cm}}$	A 10	7000 3560
11.) ●●	$\underline{\hspace{2cm}} - (-7\ 000) = 4500$	$-1\ 500 - \underline{\hspace{2cm}} = 5600$	A 11	-2 500 (-7 100)
12.) ●●	$-6\ 000 - \underline{\hspace{2cm}} = 900$	$-4\ 000 - \underline{\hspace{2cm}} = -7900$	A 12	(-6 900) 3 900
13.) ●●	$980 - (-6\ 000) = \underline{\hspace{2cm}}$	$3\ 000 - (-3\ 500) = \underline{\hspace{2cm}}$	A 13	6980 6500
14.) ●●	$3\ 300 - \underline{\hspace{2cm}} = 7600$	$-5\ 400 - (-10\ 000) = \underline{\hspace{2cm}}$	A 14	(-4 300) 4600
15.) ●●	$(-2\ 000) - \underline{\hspace{2cm}} = -7500$	$(-4\ 900) - (-10\ 000) = \underline{\hspace{2cm}}$	A 15	5 500 5100

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk  
lernen

zur Vollversion

# Subtraktion ganzer Zahlen

Code Nr. 2

Nr. 2

Name,  
Klasse:

Datum:

1.) ●●	$(-500) - (+4\ 000) = \underline{\hspace{2cm}}$	$1\ 000 - (+2\ 400) = \underline{\hspace{2cm}}$	A 1	-4500 -1400
2.) ●●	$(+2\ 000) - (-60) = \underline{\hspace{2cm}}$	$800 - (-600) = \underline{\hspace{2cm}}$	A 2	2060 1400
3.) ●●	$(+1\ 100) - 450 = \underline{\hspace{2cm}}$	$(-200) - (-2\ 400) = \underline{\hspace{2cm}}$	A 3	650 2200
4.) ●●	$-3\ 700 - (+5\ 700) = \underline{\hspace{2cm}}$	$4\ 000 - (-1\ 400) = \underline{\hspace{2cm}}$	A 4	-9400 5400
5.) ●●	$5\ 000 - (+420) = \underline{\hspace{2cm}}$	$(+2\ 100) - (-2\ 000) = \underline{\hspace{2cm}}$	A 5	4580 4100
6.) ●●	$(+1\ 000) - 2\ 300 = \underline{\hspace{2cm}}$	$(+1\ 700) - \underline{\hspace{2cm}} = -2300$	A 6	-1300 4\ 000
7.) ●●	$-1\ 000 - (-1\ 000) = \underline{\hspace{2cm}}$	$(-2\ 000) - (-35) = \underline{\hspace{2cm}}$	A 7	0 -1965
8.) ●●	$1\ 100 - \underline{\hspace{2cm}} = 5000$	$(+1\ 100) - \underline{\hspace{2cm}} = -4900$	A 8	(-3\ 900) 6\ 000
9.) ●●	$-6\ 000 - (-13\ 000) = \underline{\hspace{2cm}}$	$(+5\ 000) - 2\ 000 = \underline{\hspace{2cm}}$	A 9	7000 3000
10.) ●●	$-4\ 000 - (-4\ 000) = \underline{\hspace{2cm}}$	$(+890) - \underline{\hspace{2cm}} = 4690$	A 10	0 (-3\ 800)
11.) ●●	$(+6\ 900) - \underline{\hspace{2cm}} = 7130$	$(-5\ 900) - \underline{\hspace{2cm}} = -2800$	A 11	(-230) (-3\ 100)
12.) ●●	$\underline{\hspace{2cm}} - 4\ 000 = -1700$	$-2\ 000 - \underline{\hspace{2cm}} = 0$	A 12	2\ 300 (-2\ 000)
13.) ●●	$-3\ 100 - 11\ 000 = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} - (+5\ 500) = -9500$	A 13	-14100 -4\ 000
14.) ●●	$5\ 300 - (-1\ 400) = \underline{\hspace{2cm}}$	$(-1\ 100) - \underline{\hspace{2cm}} = -8100$	A 14	6700 7\ 000
15.) ●●	$(-6\ 900) - (-12\ 000) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} - (-13\ 000) = 6000$	A 15	5100 -7\ 000


© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk  
lernen

zur Vollversion



# Subtraktion ganzer Zahlen

Code Nr. 3

Nr. 3

Name:  
Klasse:

Datum:

1.) ●●	$3\,500 - (-640) = \underline{\hspace{2cm}}$	$-200 - (+2\,100) = \underline{\hspace{2cm}}$	A 1	4140 -2300
2.) ●●	$-2\,000 - (-4\,800) = \underline{\hspace{2cm}}$	$-3\,000 - (-3\,000) = \underline{\hspace{2cm}}$	A 2	2800 0
3.) ●●	$-3\,000 - (-5\,000) = \underline{\hspace{2cm}}$	$(+2\,000) - (-1\,600) = \underline{\hspace{2cm}}$	A 3	2000 3600
4.) ●●	$3\,000 - (+2\,000) = \underline{\hspace{2cm}}$	$4\,000 - (-100) = \underline{\hspace{2cm}}$	A 4	1000 4100
5.) ●●	$-5\,100 - (-2\,000) = \underline{\hspace{2cm}}$	$-5\,000 - (+6\,000) = \underline{\hspace{2cm}}$	A 5	-3100 -11000
6.) ●●	$(+2\,600) - 1\,000 = \underline{\hspace{2cm}}$	$(+5\,600) - \underline{\hspace{2cm}} = 4850$	A 6	1600 750
7.) ●●	$-3\,600 - \underline{\hspace{2cm}} = 1600$	$(+740) - 1\,700 = \underline{\hspace{2cm}}$	A 7	(-5 200) -960
8.) ●●	$-68 - \underline{\hspace{2cm}} = 1232$	$(+3\,800) - \underline{\hspace{2cm}} = 800$	A 8	(-1 300) 3 000
9.) ●●	$-4\,500 - (+9\,000) = \underline{\hspace{2cm}}$	$-2\,000 - \underline{\hspace{2cm}} = 2300$	A 9	-13500 (-4 300)
10.) ●●	$-270 - 100 = \underline{\hspace{2cm}}$	$-2\,000 - \underline{\hspace{2cm}} = 1000$	A 10	-370 (-3 000)
11.) ●●	$\underline{\hspace{2cm}} - (-500) = 5900$	$400 - (-6\,500) = \underline{\hspace{2cm}}$	A 11	+5 400 6900
12.) ●●	$\underline{\hspace{2cm}} - 2\,000 = -2420$	$\underline{\hspace{2cm}} - (+9\,100) = -12300$	A 12	-420 -3 200
13.) ●●	$3\,000 - 3\,100 = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} - (+15\,000) = -23000$	A 13	-100 -8 000
14.) ●●	$-6\,600 - (-10\,000) = \underline{\hspace{2cm}}$	$2\,000 - \underline{\hspace{2cm}} = 7000$	A 14	3400 (-5 000)
15.) ●●	$-2\,000 - (-9\,300) = \underline{\hspace{2cm}}$	$(+3\,500) - (-5\,800) = \underline{\hspace{2cm}}$	A 15	7300 9300

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk  
lernen

zur Vollversion

# Subtraktion ganzer Zahlen

Code Nr. 48

Nr. 48

Name,  
Klasse:

Datum:

1.) ●●	$2\,000 - 1\,100 = \underline{\hspace{2cm}}$	$(-2\,600) - 2\,000 = \underline{\hspace{2cm}}$	A 1	900 -4600
2.) ●●	$-3\,400 - (-4\,600) = \underline{\hspace{2cm}}$	$-4\,000 - 7\,000 = \underline{\hspace{2cm}}$	A 2	1200 -11000
3.) ●●	$-690 - (+2\,300) = \underline{\hspace{2cm}}$	$3\,000 - 2\,300 = \underline{\hspace{2cm}}$	A 3	-2990 700
4.) ●●	$-1\,700 - (+1\,100) = \underline{\hspace{2cm}}$	$-4\,000 - 3\,000 = \underline{\hspace{2cm}}$	A 4	-2800 -7000
5.) ●●	$2\,000 - (+3\,200) = \underline{\hspace{2cm}}$	$(-5\,000) - (-5\,700) = \underline{\hspace{2cm}}$	A 5	-1200 700
6.) ●●	$-2\,000 - (-7\,000) = \underline{\hspace{2cm}}$	$(-3\,000) - (+600) = \underline{\hspace{2cm}}$	A 6	5000 -3600
7.) ●●	$5\,800 - \underline{\hspace{2cm}} = 5400$	$990 - 4\,600 = \underline{\hspace{2cm}}$	A 7	400 -3610
8.) ●●	$3\,000 - (-3\,000) = \underline{\hspace{2cm}}$	$(+3\,600) - \underline{\hspace{2cm}} = 2690$	A 8	6000 910
9.) ●●	$-4\,800 - \underline{\hspace{2cm}} = -16800$	$5\,000 - 1\,400 = \underline{\hspace{2cm}}$	A 9	12\,000 3600
10.) ●●	$-2\,700 - \underline{\hspace{2cm}} = -8100$	$-3\,100 - 10\,000 = \underline{\hspace{2cm}}$	A 10	5\,400 -13100
11.) ●●	$(-4\,000) - 3\,500 = \underline{\hspace{2cm}}$	$3\,000 - (-3\,300) = \underline{\hspace{2cm}}$	A 11	-7500 6300
12.) ●●	$4\,000 - \underline{\hspace{2cm}} = 1500$	$-210 - 97 = \underline{\hspace{2cm}}$	A 12	2\,500 -307
13.) ●●	$7\,100 - (-840) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} - (+5\,000) = -1000$	A 13	7940 +4\,000
14.) ●●	$1\,000 - \underline{\hspace{2cm}} = 4000$	$\underline{\hspace{2cm}} - (-2\,100) = 5800$	A 14	(-3\,000) 3\,700
15.) ●●	$-5\,000 - (+330) = \underline{\hspace{2cm}}$	$(+1\,000) - (-7\,600) = \underline{\hspace{2cm}}$	A 15	-5330 8600


© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk  
lernen

zur Vollversion



# Subtraktion ganzer Zahlen

Code Nr. 49

Nr. 49

Name,  
Klasse:

Datum:

1.) ●●	$1\ 000 - 2\ 000 = \underline{\hspace{2cm}}$	$2\ 000 - (+1\ 700) = \underline{\hspace{2cm}}$	A 1	-1000 300
2.) ●●	$(+3\ 000) - (-590) = \underline{\hspace{2cm}}$	$(-4\ 000) - (-5\ 000) = \underline{\hspace{2cm}}$	A 2	3590 1000
3.) ●●	$3\ 500 - 490 = \underline{\hspace{2cm}}$	$-3\ 600 - (-1\ 500) = \underline{\hspace{2cm}}$	A 3	3010 -2100
4.) ●●	$72 - (-4\ 000) = \underline{\hspace{2cm}}$	$-1\ 300 - 760 = \underline{\hspace{2cm}}$	A 4	4072 -2060
5.) ●●	$(-3\ 000) - (+3\ 000) = \underline{\hspace{2cm}}$	$(-3\ 000) - (+5\ 000) = \underline{\hspace{2cm}}$	A 5	-6000 -8000
6.) ●●	$(+2\ 000) - \underline{\hspace{2cm}} = 0$	$-600 - \underline{\hspace{2cm}} = -1600$	A 6	2 000 1 000
7.) ●●	$5\ 500 - \underline{\hspace{2cm}} = 5900$	$-1\ 000 - \underline{\hspace{2cm}} = -8800$	A 7	(-400) 7 800
8.) ●●	$(-3\ 000) - \underline{\hspace{2cm}} = -10000$	$(+190) - 400 = \underline{\hspace{2cm}}$	A 8	7 000 -210
9.) ●●	$-3\ 000 - (-3\ 000) = \underline{\hspace{2cm}}$	$-6\ 000 - (-10\ 000) = \underline{\hspace{2cm}}$	A 9	0 4000
10.) ●●	$3\ 000 - \underline{\hspace{2cm}} = 6000$	$-4\ 000 - (+960) = \underline{\hspace{2cm}}$	A 10	(-3 000) -4960
11.) ●●	$\underline{\hspace{2cm}} - (-10\ 000) = 5000$	$-3\ 000 - \underline{\hspace{2cm}} = 3400$	A 11	-5 000 (-6 400)
12.) ●●	$-2\ 700 - (+68) = \underline{\hspace{2cm}}$	$2\ 000 - 3\ 000 = \underline{\hspace{2cm}}$	A 12	-2768 -1000
13.) ●●	$3\ 000 - \underline{\hspace{2cm}} = 6900$	$8\ 000 - (-90) = \underline{\hspace{2cm}}$	A 13	(-3 900) 8090
14.) ●●	$\underline{\hspace{2cm}} - (+8\ 000) = -13000$	$-6\ 800 - (-10\ 000) = \underline{\hspace{2cm}}$	A 14	-5 000 3200
15.) ●●	$8\ 300 - \underline{\hspace{2cm}} = 7300$	$7\ 000 - \underline{\hspace{2cm}} = 4900$	A 15	1 000 2 100

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk  
lernen

zur Vollversion

# Subtraktion ganzer Zahlen

Code Nr. 50

Nr. 50

Name,  
Klasse:

Datum:

1.) ●●	$1\ 300 - (-59) = \underline{\hspace{2cm}}$	$2\ 500 - 67 = \underline{\hspace{2cm}}$	A 1	1359 2433
2.) ●●	$-2\ 000 - (-6\ 000) = \underline{\hspace{2cm}}$	$(+4\ 000) - 82 = \underline{\hspace{2cm}}$	A 2	4000 3918
3.) ●●	$-3\ 800 - (-2\ 100) = \underline{\hspace{2cm}}$	$(+1\ 200) - 1\ 000 = \underline{\hspace{2cm}}$	A 3	-1700 200
4.) ●●	$-4\ 000 - (-2\ 000) = \underline{\hspace{2cm}}$	$(+1\ 000) - 2\ 000 = \underline{\hspace{2cm}}$	A 4	-2000 -1000
5.) ●●	$3\ 000 - (-2\ 800) = \underline{\hspace{2cm}}$	$(-2\ 800) - (+1\ 500) = \underline{\hspace{2cm}}$	A 5	5800 -4300
6.) ●●	$(-3\ 000) - (-4\ 000) = \underline{\hspace{2cm}}$	$4\ 000 - 800 = \underline{\hspace{2cm}}$	A 6	1000 3200
7.) ●●	$(+70) - 6\ 500 = \underline{\hspace{2cm}}$	$-3\ 600 - \underline{\hspace{2cm}} = 3400$	A 7	-6430 (-7 000)
8.) ●●	$6\ 000 - \underline{\hspace{2cm}} = 6280$	$(+600) - (-2\ 000) = \underline{\hspace{2cm}}$	A 8	(-280) 2600
9.) ●●	$2\ 000 - \underline{\hspace{2cm}} = -1000$	$-3\ 800 - (-3\ 400) = \underline{\hspace{2cm}}$	A 9	3 000 -400
10.) ●●	$-4\ 400 - (-6\ 000) = \underline{\hspace{2cm}}$	$5\ 000 - 200 = \underline{\hspace{2cm}}$	A 10	1600 4800
11.) ●●	$\underline{\hspace{2cm}} - (-6\ 100) = 4100$	$(+5\ 400) - (-2\ 600) = \underline{\hspace{2cm}}$	A 11	-2 000 8000
12.) ●●	$1\ 400 - 2\ 000 = \underline{\hspace{2cm}}$	$(+8\ 000) - (-700) = \underline{\hspace{2cm}}$	A 12	-600 8700
13.) ●●	$4\ 000 - \underline{\hspace{2cm}} = 5900$	$(+5\ 000) - \underline{\hspace{2cm}} = 2000$	A 13	(-1 900) 3 000
14.) ●●	$2\ 500 - 6\ 100 = \underline{\hspace{2cm}}$	$200 - 2\ 000 = \underline{\hspace{2cm}}$	A 14	-3600 -1800
15.) ●●	$-1\ 000 - (-11\ 000) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} - (-3\ 000) = 4900$	A 15	10000 1 900

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk  
lernen

zur Vollversion