

Division ganzer Zahlen


Code Nr. 1

Nr. 1

Name,
Klasse:

Datum:

1.) ●●	$(-3\ 500) : 700 = \underline{\hspace{2cm}}$	$3\ 900 : (-60) = \underline{\hspace{2cm}}$	A 1	-5 -65
2.) ●●	$-3\ 640 : 52 = \underline{\hspace{2cm}}$	$(-405) : (-9) = \underline{\hspace{2cm}}$	A 2	-70 45
3.) ●●	$-2\ 940 : 42 = \underline{\hspace{2cm}}$	$-4\ 000 : (+20) = \underline{\hspace{2cm}}$	A 3	-70 -200
4.) ●●	$(+4\ 500) : (+500) = \underline{\hspace{2cm}}$	$(-3\ 078) : (-81) = \underline{\hspace{2cm}}$	A 4	9 38
5.) ●●	$(+4\ 800) : (-16) = \underline{\hspace{2cm}}$	$-2\ 160 : (-54) = \underline{\hspace{2cm}}$	A 5	-300 40
6.) ●●	$2\ 501 : 61 = \underline{\hspace{2cm}}$	$(-3\ 000) : \underline{\hspace{2cm}} = -1000$	A 6	41 (+3)
7.) ●●	$-1\ 200 : \underline{\hspace{2cm}} = -40$	$1\ 300 : (-65) = \underline{\hspace{2cm}}$	A 7	(+30) -20
8.) ●●	$1\ 920 : \underline{\hspace{2cm}} = -32$	$-6\ 400 : \underline{\hspace{2cm}} = 200$	A 8	(-60) 32
9.) ●●	$(+1\ 950) : (-65) = \underline{\hspace{2cm}}$	$3\ 900 : \underline{\hspace{2cm}} = 13$	A 9	-30 300
10.) ●●	$-240 : 3 = \underline{\hspace{2cm}}$	$(+1\ 560) : \underline{\hspace{2cm}} = 52$	A 10	-80 30
11.) ●●	$\underline{\hspace{2cm}} : (-200) = -20$	$\underline{\hspace{2cm}} : (+360) = -20$	A 11	4 000 -7 200
12.) ●●	$-7\ 560 : (-54) = \underline{\hspace{2cm}}$	$-6\ 200 : \underline{\hspace{2cm}} = 310$	A 12	140 20
13.) ●●	$\underline{\hspace{2cm}} : (+20) = -50$	$\underline{\hspace{2cm}} : 300 = 30$	A 13	-1 000 +9 000
14.) ●●	$\underline{\hspace{2cm}} : 50 = 30$	$\underline{\hspace{2cm}} : 81 = -7$	A 14	+1 500 -567
15.) ●●	$-8\ 000 : (-10) = \underline{\hspace{2cm}}$	$6\ 720 : \underline{\hspace{2cm}} = -56$	A 15	800 (-120)



Division ganzer Zahlen

Code Nr. 2

Nr. 2

Name,
Klasse:

Datum:

1.) ●●	$-1\ 776 : 74 = \underline{\hspace{2cm}}$	$(-1\ 620) : 27 = \underline{\hspace{2cm}}$	A 1	-24 -60
2.) ●●	$-1\ 650 : (-50) = \underline{\hspace{2cm}}$	$-1\ 500 : 50 = \underline{\hspace{2cm}}$	A 2	33 -30
3.) ●●	$-3\ 630 : (-66) = \underline{\hspace{2cm}}$	$-5\ 000 : 100 = \underline{\hspace{2cm}}$	A 3	55 -50
4.) ●●	$476 : (-14) = \underline{\hspace{2cm}}$	$-136 : (-68) = \underline{\hspace{2cm}}$	A 4	-34 2
5.) ●●	$-5\ 000 : (-100) = \underline{\hspace{2cm}}$	$(+260) : (-130) = \underline{\hspace{2cm}}$	A 5	50 -2
6.) ●●	$-520 : (-20) = \underline{\hspace{2cm}}$	$1\ 620 : (+20) = \underline{\hspace{2cm}}$	A 6	26 81
7.) ●●	$3\ 430 : 70 = \underline{\hspace{2cm}}$	$(-30) : \underline{\hspace{2cm}} = -1$	A 7	49 (+30)
8.) ●●	$(+4\ 500) : (-100) = \underline{\hspace{2cm}}$	$(-3\ 600) : (-80) = \underline{\hspace{2cm}}$	A 8	-45 45
9.) ●●	$2\ 700 : \underline{\hspace{2cm}} = -300$	$-3\ 200 : \underline{\hspace{2cm}} = -40$	A 9	(-9) (+80)
10.) ●●	$(-2\ 800) : \underline{\hspace{2cm}} = -200$	$-5\ 500 : \underline{\hspace{2cm}} = 10$	A 10	(+14) (-550)
11.) ●●	$\underline{\hspace{2cm}} : 40 = 200$	$-1\ 470 : (+70) = \underline{\hspace{2cm}}$	A 11	+8 000 -21
12.) ●●	$6\ 750 : \underline{\hspace{2cm}} = -45$	$\underline{\hspace{2cm}} : 1\ 000 = -7$	A 12	(-150) -7 000
13.) ●●	$632 : (-79) = \underline{\hspace{2cm}}$	$-5\ 200 : \underline{\hspace{2cm}} = -130$	A 13	-8 (+40)
14.) ●●	$-180 : (-2) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} : (-59) = 4$	A 14	90 -236
15.) ●●	$\underline{\hspace{2cm}} : (-100) = -60$	$(-1\ 400) : \underline{\hspace{2cm}} = 200$	A 15	6 000 7

© 2015 Bernhard Storch

erstellt mit RAGTIMEEDU tools



netzwerk
fernen

zur Vollversion

Division ganzer Zahlen

Code Nr. 3

Nr. 3

Name,
Klasse:

Datum:

1.) ●●	$(+1\ 080) : (-27) = \underline{\hspace{2cm}}$	$3\ 780 : (-60) = \underline{\hspace{2cm}}$	A 1	-40 -63
2.) ●●	$(+1\ 800) : 30 = \underline{\hspace{2cm}}$	$-600 : (+30) = \underline{\hspace{2cm}}$	A 2	60 -20
3.) ●●	$(+560) : (-70) = \underline{\hspace{2cm}}$	$-1\ 000 : (-40) = \underline{\hspace{2cm}}$	A 3	-8 25
4.) ●●	$2\ 100 : 6 = \underline{\hspace{2cm}}$	$-600 : (+60) = \underline{\hspace{2cm}}$	A 4	350 -10
5.) ●●	$4\ 900 : 700 = \underline{\hspace{2cm}}$	$-4\ 720 : (-59) = \underline{\hspace{2cm}}$	A 5	7 80
6.) ●●	$-3\ 600 : (-900) = \underline{\hspace{2cm}}$	$-760 : (+40) = \underline{\hspace{2cm}}$	A 6	4 -19
7.) ●●	$-2\ 310 : \underline{\hspace{2cm}} = -77$	$4\ 800 : (-1\ 200) = \underline{\hspace{2cm}}$	A 7	30 -4
8.) ●●	$4\ 000 : \underline{\hspace{2cm}} = 40$	$(+1\ 200) : (-15) = \underline{\hspace{2cm}}$	A 8	100 -80
9.) ●●	$7\ 000 : (-700) = \underline{\hspace{2cm}}$	$-1\ 680 : \underline{\hspace{2cm}} = 80$	A 9	-10 (-21)
10.) ●●	$4\ 560 : \underline{\hspace{2cm}} = 57$	$2\ 220 : (-30) = \underline{\hspace{2cm}}$	A 10	80 -74
11.) ●●	$(+4\ 000) : 4 = \underline{\hspace{2cm}}$	$-7\ 896 : \underline{\hspace{2cm}} = -84$	A 11	1000 94
12.) ●●	$(+7\ 200) : (+300) = \underline{\hspace{2cm}}$	$(-7\ 200) : (+60) = \underline{\hspace{2cm}}$	A 12	24 -120
13.) ●●	$\underline{\hspace{2cm}} : (+40) = -200$	$(-6\ 000) : \underline{\hspace{2cm}} = -100$	A 13	-8 000 (+60)
14.) ●●	$\underline{\hspace{2cm}} : (+40) = 200$	$-6\ 000 : \underline{\hspace{2cm}} = 50$	A 14	8 000 (-120)
15.) ●●	$\underline{\hspace{2cm}} : (-100) = 30$	$(-1\ 200) : (-30) = \underline{\hspace{2cm}}$	A 15	-3 000 40

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk
lernen

zur Vollversion

Division ganzer Zahlen

Code Nr. 48

Nr. 48

Name,
Klasse:

Datum:

1.) ●●	$(-2\ 000) : (-40) = \underline{\hspace{2cm}}$	$-3\ 200 : (-16) = \underline{\hspace{2cm}}$	A 1	50 200
2.) ●●	$3\ 000 : 10 = \underline{\hspace{2cm}}$	$-3\ 264 : (-51) = \underline{\hspace{2cm}}$	A 2	300 64
3.) ●●	$(-4\ 800) : (-100) = \underline{\hspace{2cm}}$	$-2\ 360 : (-59) = \underline{\hspace{2cm}}$	A 3	48 40
4.) ●●	$-5\ 400 : (+60) = \underline{\hspace{2cm}}$	$4\ 500 : (-60) = \underline{\hspace{2cm}}$	A 4	-90 -75
5.) ●●	$(+3\ 575) : (-55) = \underline{\hspace{2cm}}$	$(+2\ 760) : (-4) = \underline{\hspace{2cm}}$	A 5	-65 -690
6.) ●●	$(-1\ 410) : \underline{\hspace{2cm}} = 30$	$-1\ 450 : (-29) = \underline{\hspace{2cm}}$	A 6	(-47) 50
7.) ●●	$-2\ 590 : \underline{\hspace{2cm}} = -37$	$-1\ 080 : \underline{\hspace{2cm}} = -54$	A 7	70 20
8.) ●●	$(+480) : \underline{\hspace{2cm}} = -80$	$-7\ 000 : \underline{\hspace{2cm}} = -100$	A 8	(-6) (+70)
9.) ●●	$(+672) : \underline{\hspace{2cm}} = 84$	$-7\ 700 : (-110) = \underline{\hspace{2cm}}$	A 9	8 70
10.) ●●	$(+6\ 500) : (-130) = \underline{\hspace{2cm}}$	$4\ 800 : (-96) = \underline{\hspace{2cm}}$	A 10	-50 -50
11.) ●●	$-3\ 690 : 41 = \underline{\hspace{2cm}}$	$-1\ 152 : \underline{\hspace{2cm}} = -72$	A 11	-90 16
12.) ●●	$3\ 200 : 64 = \underline{\hspace{2cm}}$	$(+3\ 818) : 46 = \underline{\hspace{2cm}}$	A 12	50 83
13.) ●●	$720 : (+80) = \underline{\hspace{2cm}}$	$-8\ 000 : \underline{\hspace{2cm}} = 2000$	A 13	9 4
14.) ●●	$(-1\ 272) : \underline{\hspace{2cm}} = 24$	$-6\ 000 : \underline{\hspace{2cm}} = 30$	A 14	53 (-200)
15.) ●●	$4\ 200 : \underline{\hspace{2cm}} = -210$	$7\ 280 : (-28) = \underline{\hspace{2cm}}$	A 15	(-20) -260

© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk
fernen

zur Vollversion

Division ganzer Zahlen

Code Nr. 49

Nr. 49

Name,
Klasse:

Datum:

1.) ●●	$(-3\ 136) : (-56) = \underline{\hspace{2cm}}$	$-620 : (-62) = \underline{\hspace{2cm}}$	A 1	56 10
2.) ●●	$342 : (-19) = \underline{\hspace{2cm}}$	$-17 : (-17) = \underline{\hspace{2cm}}$	A 2	-18 1
3.) ●●	$(+3\ 540) : (-59) = \underline{\hspace{2cm}}$	$(+2\ 800) : (-40) = \underline{\hspace{2cm}}$	A 3	-60 -70
4.) ●●	$(-4\ 800) : (+60) = \underline{\hspace{2cm}}$	$(-3\ 000) : (-3\ 000) = \underline{\hspace{2cm}}$	A 4	-80 1
5.) ●●	$-2\ 088 : (+29) = \underline{\hspace{2cm}}$	$-1\ 450 : 29 = \underline{\hspace{2cm}}$	A 5	-72 -50
6.) ●●	$(-450) : \underline{\hspace{2cm}} = -50$	$-2\ 000 : \underline{\hspace{2cm}} = 50$	A 6	9 40
7.) ●●	$912 : (-12) = \underline{\hspace{2cm}}$	$(-1\ 600) : 200 = \underline{\hspace{2cm}}$	A 7	-76 -8
8.) ●●	$2\ 700 : (+9) = \underline{\hspace{2cm}}$	$(-5\ 800) : (-100) = \underline{\hspace{2cm}}$	A 8	300 58
9.) ●●	$6\ 000 : (+60) = \underline{\hspace{2cm}}$	$-5\ 200 : \underline{\hspace{2cm}} = -400$	A 9	100 (+13)
10.) ●●	$6\ 640 : 83 = \underline{\hspace{2cm}}$	$(+6\ 000) : \underline{\hspace{2cm}} = -30$	A 10	80 (-200)
11.) ●●	$(-6\ 160) : (-44) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} : (+60) = -99$	A 11	140 -5 940
12.) ●●	$-4\ 800 : (+60) = \underline{\hspace{2cm}}$	$6\ 020 : \underline{\hspace{2cm}} = 70$	A 12	-80 86
13.) ●●	$5\ 000 : \underline{\hspace{2cm}} = 10$	$-7\ 120 : \underline{\hspace{2cm}} = 89$	A 13	500 80
14.) ●●	$560 : (-7) = \underline{\hspace{2cm}}$	$2\ 850 : 95 = \underline{\hspace{2cm}}$	A 14	-80 30
15.) ●●	$(-6\ 600) : (-110) = \underline{\hspace{2cm}}$	$\underline{\hspace{2cm}} : (+78) = -90$	A 15	60 -7 020


© 2015 Bernhard Storch

erstellt mit RAGTIME EDU tools



netzwerk
lernen

zur Vollversion



Division ganzer Zahlen

Code Nr. 50

Nr. 50

Name:
Klasse:

Datum:

1.) ●●	$(+1\ 800) : (-100) = \underline{\hspace{2cm}}$	$352 : (-22) = \underline{\hspace{2cm}}$	A 1	-18 -16
2.) ●●	$(-700) : 100 = \underline{\hspace{2cm}}$	$(+900) : (-9) = \underline{\hspace{2cm}}$	A 2	-7 -100
3.) ●●	$690 : 69 = \underline{\hspace{2cm}}$	$(+3\ 000) : 100 = \underline{\hspace{2cm}}$	A 3	10 30
4.) ●●	$(+3\ 752) : (-67) = \underline{\hspace{2cm}}$	$-1\ 080 : (+27) = \underline{\hspace{2cm}}$	A 4	-56 -40
5.) ●●	$-4\ 000 : 500 = \underline{\hspace{2cm}}$	$(+1\ 500) : (-50) = \underline{\hspace{2cm}}$	A 5	-8 -30
6.) ●●	$(+700) : (-10) = \underline{\hspace{2cm}}$	$(-2\ 520) : \underline{\hspace{2cm}} = 60$	A 6	-70 42
7.) ●●	$2\ 000 : (-40) = \underline{\hspace{2cm}}$	$4\ 350 : \underline{\hspace{2cm}} = 75$	A 7	-50 58
8.) ●●	$100 : \underline{\hspace{2cm}} = -4$	$3\ 280 : 40 = \underline{\hspace{2cm}}$	A 8	(-25) 82
9.) ●●	$(+350) : \underline{\hspace{2cm}} = 10$	$6\ 480 : (+72) = \underline{\hspace{2cm}}$	A 9	35 90
10.) ●●	$-800 : \underline{\hspace{2cm}} = -20$	$7\ 800 : (-200) = \underline{\hspace{2cm}}$	A 10	(+40) -39
11.) ●●	$-7\ 000 : \underline{\hspace{2cm}} = 700$	$3\ 600 : \underline{\hspace{2cm}} = -40$	A 11	10 (-90)
12.) ●●	$\underline{\hspace{2cm}} : (-4) = -1100$	$(+6\ 800) : (+340) = \underline{\hspace{2cm}}$	A 12	4\ 400 20
13.) ●●	$267 : \underline{\hspace{2cm}} = 3$	$\underline{\hspace{2cm}} : (-40) = -200$	A 13	89 8\ 000
14.) ●●	$\underline{\hspace{2cm}} : (+40) = -80$	$\underline{\hspace{2cm}} : 85 = -50$	A 14	-3\ 200 -4\ 250
15.) ●●	$\underline{\hspace{2cm}} : (+9) = -600$	$3\ 200 : \underline{\hspace{2cm}} = -200$	A 15	-5\ 400 (-16)

© 2015 Bernhard Storch

erstellt mit RAGTIMEEDU tools



netzwerk
lernen

zur Vollversion

